



LED tubes T5 for electronic ballasts (HF)

29107, 29108 (Length: 301 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|---------------|------------------------|----------------------|-----------------|
| 1 | TRIDONIC.ATCO | PC 1x5-16W BASIC sl | 24138833 | Yes, compatible |
| 2 | OSRAM | QT-ECO 1x4-16/220-240S | A48978F0355 01 02201 | Yes, compatible |
| 3 | OSRAM | QT-ECO 1x4-16/220-240L | A48977B00DG P1430 | Yes, compatible |
| 4 | OSRAM | QTP-D/E 1X10-13 | A57059100DG | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29109, 29110 (Length: 563 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|---------------|-----------------------------|------------------------|---|
| 1 | OSRAM | QTP5 1x14-35 | AA3341801DG P1605 | Yes, compatible |
| 2 | OSRAM | QT-FIT5 1x14-35 | AA747150355 01 01719 C | Yes, compatible |
| 3 | OSRAM | QT-FIT5 2x14-35 | AA7471601DG BE 01609 C | Yes, compatible |
| 4 | PHILIPS | HF-S 1 14-35 TL5 HE II | 9137 130 420 | Yes, compatible |
| 5 | PHILIPS | HF-P 1 14-35-TL5 HE III IDC | 9137 130 310 | Yes, compatible |
| 6 | TRIDONIC.ATCO | PC 2/14-21-28-35 T5 PRO Ip | 22 087 731 | Yes, compatible |
| 7 | TRIDONIC | PC 2x14-28 T5 TOP Ip | 22 185 158 | Yes, compatible |
| 8 | Helvar | EL2x14-35S | T5 14,21,28,35W | Yes, compatible |
| 9 | Helvar | EL1x14-35ngn5 | 4017001G01712215 1 | Yes, compatible |
| 10 | VS | Type ELXc 235.857 | 188094 | Yes, compatible |
| 11 | OSRAM | QTP5 2x14-35 | AA3342301DG P1439C | compatible but lower luminous flux than claimed value |




LED tubes T5 for electronic ballasts (HF)

29109, 29110 (Length: 563 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|------------------------------|------------------|-----------------|
| 12 | OSRAM | QT-FIT5 1x14-35 | AA747150355 | Yes, compatible |
| 13 | OSRAM | QTP5 1x14-35 | A63944500DG | Yes, compatible |
| 14 | Philips | HF-S 114-21 TL5 II | 9137130328 | Yes, compatible |
| 15 | Philips | HF-P 1 14-35 TL5 HE III IDC | 9137130310 | Yes, compatible |
| 16 | Tridonic | PC 1/14-35/24/39 T5 PRO-M lp | 22176182 | Yes, compatible |
| 17 | Helvar | EL 1x14-35ngn5 | 4017001G09802761 | Yes, compatible |
| 18 | b,a,g | BCS35.1FX-11/220-240 | 10077579 | Yes, compatible |
| 19 | b,a,g | BCD35.1F-01/220-240/1-10V | 10097244 | Yes, compatible |
| 20 | VOSSLOH | Type ELXc 135.220 | 188921 | Yes, compatible |
| 21 | Tridonic | PC 1/14-35/49/54 T5 PRO-M lp | 22176183 | Yes, compatible |
| 22 | Helvar | EL 1x14-35s | 4306002D46100284 | Yes, compatible |
| 23 | OSRAM | QT-FIT5 2x14-35 | AA747160355 | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29109, 29110 (Length: 563 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|-----------------------------|------------------|-----------------|
| 24 | OSRAM | QTP5 2x14-35 | AA3342302DG | Yes, compatible |
| 25 | b,a,g | BCD35.2F-01/220-240/1-10V | 10097294 | Yes, compatible |
| 26 | b,a,g | BCS35.2FX-11/220-240 | 10077580 | Yes, compatible |
| 27 | Philips | HF-R 214-35 TL5 EII | 9137006195 | Yes, compatible |
| 28 | Tridonic | PC 2x14-28 T5 TOP lp | 22185158 | Yes, compatible |
| 29 | Philips | HF-P 2 14-35 TL5 HE III IDC | 9137130311 | Yes, compatible |
| 30 | Philips | HF-S 2 14-35 TL5 HE II | 9137130421 | Yes, compatible |
| 31 | Helvar | EL2x14-35ngn5 | 4018001E08705002 | Yes, compatible |
| 32 | Helvar | EL2x14-35iDim | 4350000J05200189 | Yes, compatible |
| 33 | OSRAM | QT-FIT5 3x14,4x14 | AA747140355 | Yes, compatible |
| 34 | OSRAM | QTP5 3x14,4x14 | A62933A02DG | Yes, compatible |
| 35 | Philips | HF-S 3/414 TL5 II | 9137130330 | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29109, 29110 (Length: 563 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|------------------------|------------------|-----------------|
| 36 | Helvar | EL 3/4x14ngn5 | 4014001E17701532 | Yes, compatible |
| 37 | b,a,g | BCS14.3-4FR-01/220-240 | 10052868 | Yes, compatible |
| 38 | Tridonic | PC 3/4x14 T5 TOP lp | 22185220 | Yes, compatible |
| 39 | Tridonic | PC 3/4x14 T5 PRO lp | 22185211 | Yes, compatible |
| 40 | OSRAM | QT-FIT5 3x14,4x14 | AA747140355 | Yes, compatible |
| 41 | OSRAM | QTP5 3x14,4x14 | A62933A02DG | Yes, compatible |
| 42 | b,a,g | BCS14.3-4FR-01/220-240 | 10052868 | Yes, compatible |
| 43 | Helvar | EL 3/4x14ngn5 | 4014001E17701532 | Yes, compatible |
| 44 | Tridonic | PC 3/4x14 T5 PRO lp | 22185211 | Yes, compatible |
| 45 | Tridonic | PC 3/4x14 T5 TOP lp | 22185220 | Yes, compatible |
| 46 | Philips | HF-S 3/414 TL5 II | 9137130330 | Yes, compatible |




LED tubes T5 for electronic ballasts (HF)

29111, 29112 (Length: 1163 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|----------------------------------|------------------------|-----------------|
| 1 | OSRAM | QTP5 1x24-39 | A63945100DG | Yes, compatible |
| 2 | OSRAM | QTP-OPTIMAL 2x54-58 | AA569750755 02 01838 | Yes, compatible |
| 3 | OSRAM | QTP-OPTIMAL1x54-58 | AA517330755 01 01724 | Yes, compatible |
| 4 | OSRAM | QT-FIT 5/8 2x54-58 | AA529620555 01 01746 | Yes, compatible |
| 5 | OSRAM | QT-FIT 5/8 1x54-58 | AA7471901DG P1653 C | Yes, compatible |
| 6 | OSRAM | QT-FIT 5/8 1x18-39 | AA7471805501 01745 C 0 | Yes, compatible |
| 7 | OSRAM | QT-FIT 5/8 2x18-39 | AA440140555 01 01802 | Yes, compatible |
| 8 | PHILIPS | HF-S 254 TL5 II | 9137 130 337 | Yes, compatible |
| 9 | PHILIPS | HF-P 254/255 TL5 HO/PL-L III IDC | 9137 130 283 | Yes, compatible |
| 10 | PHILIPS | HF-R 154 TL5 EII | 9137 006 088 | Yes, compatible |
| 11 | 3AAA | HYQ1x55-58/220-240 | | Yes, compatible |
| 12 | TRIDONIC | PC 1/54 T5 INDUSTRY | 89800458 | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29111, 29112 (Length: 1163 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|----------------------|------------------------|---|
| 13 | TRIDONIC | PC 1x54 T5 PRO Ip | 22185155 | Yes, compatible |
| 14 | TRIDONIC | PC 2x54 T5 PRO Ip | 22185156 | Yes, compatible |
| 15 | Helvar | EL2x54ngn5 | 413001H28601136 1 | Yes, compatible |
| 16 | TCI | BTLT 254 | 137999/54 | Yes, compatible |
| 17 | B,A,G | BCS54.1FX-11/220-240 | 1007 7585 | Yes, compatible |
| 18 | VS | Type ELXc 254.236 | 183118 | Yes, compatible |
| 19 | VS | Type ELXc 254.236 | 183118 | Yes, compatible |
| 20 | OSRAM | QT-FIT5 2x14-35 | AA7471601DG BE 01609 C | compatible but lower luminous flux than claimed value |
| 21 | OSRAM | QT-FIT5 1x14-35 | AA747150355 01 01719 C | compatible but lower luminous flux than claimed value |
| 22 | OSRAM | QTP5 2x14-35 | AA3342301DG P1439C | compatible but lower luminous flux than claimed value |
| 23 | OSRAM | QTP5 1x14-35 | AA3341801DG P1605 | compatible but lower luminous flux than claimed value |
| 24 | PHILIPS | EB-Ci 1-2 14-28W | 9137 130 432 | compatible but lower luminous flux than claimed value |



LED tubes T5 for electronic ballasts (HF)

29111, 29112 (Length: 1163 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|---------------|-----------------------------|--------------------|---|
| 25 | PHILIPS | EB-Ci 1-2 14-28W | 9137 130 432 | compatible but lower luminous flux than claimed value |
| 26 | PHILIPS | HF-S 221-28TL5 II | 9137 130 331 | compatible but lower luminous flux than claimed value |
| 27 | PHILIPS | HF-S 128-35 TL5 II | 9137 130 332 | compatible but lower luminous flux than claimed value |
| 28 | PHILIPS | HF-S 1 14-35 TL5 HE II | 9137 130 420 | compatible but lower luminous flux than claimed value |
| 29 | PHILIPS | HF-P 1 14-35-TL5 HE III IDC | 9137 130 310 | compatible but lower luminous flux than claimed value |
| 30 | 3AAA | YZ-228EAA T5-E | T5-E 28W x 2 | compatible but lower luminous flux than claimed value |
| 31 | 3AAA | YZ-221EAA T5-E | T5-E 21W x 2 | compatible but lower luminous flux than claimed value |
| 32 | TRIDONIC.ATCO | PC 2/14-21-28-35 T5 PRO Ip | 22 087 731 | compatible but lower luminous flux than claimed value |
| 33 | TRIDONIC | PC 2x14-28 T5 TOP Ip | 22 185 158 | compatible but lower luminous flux than claimed value |
| 34 | Helvar | EL2x14-35S | T5 14,21,28,35W | compatible but lower luminous flux than claimed value |
| 35 | Helvar | EL1x14-35ngn5 | 4017001G01712215 1 | compatible but lower luminous flux than claimed value |
| 36 | REDLINE | RL-T5-128 | | compatible but lower luminous flux than claimed value |



LED tubes T5 for electronic ballasts (HF)

29111, 29112 (Length: 1163 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|-------------------------------------|------------------|---|
| 37 | VS | Type ELXc 235.857 | 188094 | compatible but lower luminous flux than claimed value |
| 38 | OSRAM | QT-FIT5 1x14-35 | AA747150355 | Yes, compatible |
| 39 | OSRAM | QTP5 1x14-35 | A63944500DG | Yes, compatible |
| 40 | Helvar | EL 1x14-35ngn5 | 4017001G09802761 | Yes, compatible |
| 41 | b,a,g | BCS35.1FX-11/220-240 | 10077579 | Yes, compatible |
| 42 | b,a,g | BCD35.1F-01/220-240/1-10V | 10097244 | Yes, compatible |
| 43 | Tridonic | PC 1x14-35 T5 TOP lp | 22185157 | Yes, compatible |
| 44 | Tridonic | PC 1x14-35 T5 PRO lp | 22185147 | Yes, compatible |
| 45 | Tridonic | PC 1/14-35/24/39 T5 PRO-M lp | 22176182 | Yes, compatible |
| 46 | Philips | HF-S 128-35 TL5 II | 9137130332 | Yes, compatible |
| 47 | Philips | HF-R 114-35 TL5 EII | 9137006198 | Yes, compatible |
| 48 | Philips | HF-Pi 1 28/35/49/80 TL5 EII 220-240 | 9137006525 | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29111, 29112 (Length: 1163 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|-------------------------------------|-------------------|-----------------|
| 49 | Philips | HF-Pi 1 28/35/49/54 TL5 EII 220-240 | 9137006241 | Yes, compatible |
| 50 | Philips | HF-P 1 14-35 TL5 HE III IDC | 9137130310 | Yes, compatible |
| 51 | Tridonic | PC 1/14-35/49/80 T5 PRO-M lp | 22176184 | Yes, compatible |
| 52 | OSRAM | QT-FIT5 2x14-35 | AA747160355 | Yes, compatible |
| 53 | OSRAM | QTP5 2x14-35 | AA3342302DG | Yes, compatible |
| 54 | Helvar | EL2x14-35ngn5 | 4018001E08705002 | Yes, compatible |
| 55 | b,a,g | BCS35.2FX-11/220-240 | 10077580 | Yes, compatible |
| 56 | b,a,g | BCD35.2F-01/220-240/1-10V | 10097294 | Yes, compatible |
| 57 | Philips | HF-R 214-35 TL5 EII | 9137006195 | Yes, compatible |
| 58 | Helvar | EL 1x14-35s | 4306001D420035739 | Yes, compatible |




LED tubes T5 for electronic ballasts (HF)

29113, 29114 (Length: 1463 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|---------------|----------------------|----------------------|---|
| 1 | OSRAM | QTP-OPTIMAL 1x54-58 | AA5173305DG | Yes, compatible |
| 2 | OSRAM | QT-FQ 2x80 | A57569D01DG P1721 | Yes, compatible |
| 3 | Helvar | EL2x80S-u | T5/TC-L:2x80 | Yes, compatible |
| 4 | Helvar | EL2x80ngn5 | T5/TC-L:2x80 | Yes, compatible |
| 5 | OSRAM | QTP5 1x49 | A63946E0355 02 01823 | compatible but lower luminous flux than claimed value |
| 6 | TRIDONIC | PC 1/49 T5 INDUSTRY | 86458039 | compatible but lower luminous flux than claimed value |
| 7 | TRIDONIC.ATCO | PC 2/49 T5 PRO Ip | 22 176 099 | compatible but lower luminous flux than claimed value |
| 8 | B.A.G | BCS49.2FX-11/220-240 | 1007 7584 | compatible but lower luminous flux than claimed value |
| 9 | OSRAM | QT-FIT5 1x14-35 | AA747150355 | Yes, compatible |
| 10 | OSRAM | QTP5 1x14-35 | A63944500DG | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29113, 29114 (Length: 1463 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|------------------------------|------------------|-----------------|
| 11 | Tridonic | PC 1x14-35 T5 PRO ip | 22185147 | Yes, compatible |
| 12 | Tridonic | PC 1x14-35 T5 TOP ip | 22185157 | Yes, compatible |
| 13 | Helvar | EL1x14-35ngn5 | 4017001G09802761 | Yes, compatible |
| 14 | VOSSLÖH | Type ELXc 135.220 | 188921 | Yes, compatible |
| 15 | b,a,g | BCS35.1FX-11/220-240 | 10077579 | Yes, compatible |
| 16 | Philips | HF-P i 14-35 TL5 HE III IDC | 9137130310 | Yes, compatible |
| 17 | Philips | HF-S 128-35 TL5 II | 9137130332 | Yes, compatible |
| 18 | Tridonic | PC 1/14-35/24/39 T5 PRO-M ip | 22176182 | Yes, compatible |
| 19 | b,a,g | BCD35.1F-01/220-240/1-10V | 10097244 | Yes, compatible |
| 20 | OSRAM | QTi 1x28/54/35/49 GII | AA3629601DG | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29113, 29114 (Length: 1463 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|---------|-------------------------------------|----------------|-----------------|
| 21 | OSRAM | QTi 1x35/49/80 GII | AA3529700DG | Yes, compatible |
| 22 | Philips | HF-Pi 1 28/35/49/54 TL5 EII 220-240 | 9137006241 | Yes, compatible |
| 23 | Philips | HF-Pi 1 28/35/49/80 TL5 EII 220-240 | 9137006525 | Yes, compatible |
| 24 | OSRAM | QTP5 2x14-35 | AA3342302DG | Yes, compatible |
| 25 | OSRAM | QT-FIT5 2x14-35 | AA747160355 | Yes, compatible |
| 26 | Philips | HF-S 235 TL5 II | 9137130333 | Yes, compatible |
| 27 | Philips | HF-P 2 14-35 TL5 HE III IDC | 9137130311 | Yes, compatible |
| 28 | Philips | HF-P 2 14-35 TL5 HE 220-240 | 9137001662 | Yes, compatible |
| 29 | Philips | HF-R 214-35 TL5 EII | 9137006195 | Yes, compatible |
| 30 | b,a,g | BCS35.2FX-11/220-240 | 10077580 | Yes, compatible |



LED tubes T5 for electronic ballasts (HF)

29113, 29114 (Length: 1463 mm)

Paulmann

| NO | Brand | Model | EAN / Ref. No. | Compatibility |
|----|----------|-------------------------------------|------------------|-----------------|
| 31 | b,a,g | BCD35.2F-01/220-240/1-10V | 10097294 | Yes, compatible |
| 32 | Helvar | EL2x14-35ngn5 | 4018001E08705002 | Yes, compatible |
| 33 | Tridonic | PC 2x35 T5 TOP lp | 87500292 | Yes, compatible |
| 34 | Tridonic | PCA 2x35/49 T5 ECO Ip | 22185097 | Yes, compatible |
| 35 | Tridonic | PC 2x14-35 T5 PRO lp | 22185148 | Yes, compatible |
| 36 | Helvar | EL2x14-35iDim | 4350000J05200189 | Yes, compatible |
| 37 | Tridonic | PC 2/14-35/49/54 T5 PRO-M lp | 22176186 | Yes, compatible |
| 38 | Philips | HF-Pi 2 28/35/49/54 TL5 EII 220-240 | 9137006243 | Yes, compatible |
| 39 | OSRAM | QTi 2x28/54/35/49 GII | AA3529901DG | Yes, compatible |
| 40 | Philips | HF-S 2 14-35 TL5 HE II | 9137130421 | Yes, compatible |