





P

Paulmann

ULine belt system

Your one-of-a-kind light in any size space





ULine belt system

Your one-of-a-kind light in any size space

Discover ULine – our fascinating 48 V lighting system that brings life to every dimension of the space in your home!

Would you like to transform walls, ceilings and floors into a breathtaking lighting experience? This system uses delicate belts, which can be freely tensioned in the room and offer limitless flexibility.

The belts with internal power routing can be individually shortened with scissors, so they can be perfectly adapted to any space. The result is a customised lighting concept that offers maximum design freedom.

Whether as accent lighting or as a central design element – pendant luminaires, light spheres, spots or light bars can be freely positioned along the belts – entirely according to your personal preferences.

This is how ULine sets completely new standards in the design of modern spaces for living and working.



It's so easy to plan your customised ULine belt system


The belt can be rolled out easily, shortened to any length as needed, connected with the installation set and distributed in all room dimensions with various holders. Would you like to control the light intensity? Then integrate the three-step dimmer. This allows you to dim the light in three stages using a wall switch.

And we have yet another clever accessory for you:

You will find belt holders for wall, ceiling or floor mounting. Adapters for suspending the belt (pendant adapter), end caps to cover shortened belts, clamps for loop installations and much more.

Now all you have to do is place your luminaires on the belt and your personalised lighting installation is ready to go!

Step 1	Step 2	Step 3	Step 4
Select a 60 W or 150 W installation kit	Select a 5 m or 10 m belt	Select luminaires for your home	Choose your optional accessories



Get the Look: Left: 1x Starter Set Bol 94633
Right: 1x Installation Set 150 W 94629, 1x Belt black 94619,
1x Straight Fixture 94622, 2x Light Bar 94613

ULine installation sets

Get creative when choosing belt colours and luminaires

Choose from the two different installation sets! They are available with either a 60 W or 150 W transformer – depending on how many luminaires you want to use. Holders, feed and cover are also included so you can get started straight away.

With your favourite colour for the strap and your choice of luminaires, you can transform the ULine strap system into a unique work of art that perfectly matches your style.

Tension the belt straight and parallel to the ceiling, let it hang loosely between two brackets or run tightly down the wall. The choice is yours!



Installation Set 60 W
max. 60 W, 48 V, $\approx$ 60 VA
94628



Installation Set 150 W
max. 150 W, 48 V, $\approx$ 150 VA
94629

Calculate which set you need!

For example, you want to arrange **2x Ball luminaires** and **4x Ronde luminaires**:

$$\begin{aligned} 2 \times 8 \text{ watts} &= 16 \text{ watts} \\ &+ \\ 4 \times 7 \text{ watts} &= 28 \text{ watts} \\ \hline &44 \text{ watts} \end{aligned}$$

The **60 watt** installation set is sufficient here.




ULine starter sets

Your alternative with a complete lighting solution including luminaire


The starter sets come with a complete system including a transformer, a black 5 m belt and a Cone or Bol pendant luminaire.

You can customise the sets with additional luminaires and holders. But take care not to exceed the total output possible of 60 watts with the luminaires.

To check this, simply add up the wattage of your luminaires. If the total is less than 60 watts, everything is perfectly balanced. If you need more luminaires, it is better to start your system planning with the 150 W installation set. This allows you to install luminaires with a total output of 150 watts.



Starter Set Cone
1245 lm, max. 60 W,
12 W, 3000 K,
48 V, 30.000 h, $\approx$ 60 VA
⌀90 ø350 mm
94632



Starter Set Bol
1245 lm, max. 60 W,
12 W, 3000 K,
48 V, 30.000 h, $\approx$ 60 VA
⌀160 ø300 mm
94633



ULine belts

Variety for customised lighting scenarios

The highlight of the belts is the internal power supply, which makes the power supply to all the luminaires invisible – no matter where they are positioned!

Made from first-class Dacron, these 2.1 cm wide belts not only offer outstanding tear resistance, but also remarkable durability.

They can be shortened with scissors if necessary and are easy to clean thanks to their coating.

All belts include two end caps for an aesthetic finish.

Choose between two belt lengths (5 m and 10 m) and be inspired by five appealing colours – from stylish black to vibrant orange, which is guaranteed to attract everyone's attention.



	Orange	Black	Green	Grey	Terracotta
Watts	max. 150 W	max. 150 W	max. 150 W	max. 150 W	max. 150 W
Length 5 m	94620	94618	94638	94634	94636
Length 10 m	94621	94619	94639	94635	94637



Get the Look: 1x Installation Set 150 W 94629, 1x Belt green 94639, 2x Universal Fixture 94624, 5x Ball 94616

ULine luminaires

Clear design meets function

The high-quality ULine luminaires can be easily attached to the belt using the click-and-connect function, as each luminaire is equipped with a snap-in belt connector.


You can remove the luminaires at any time, reposition them and add new ones as you wish.

The clear and timeless design of the luminaires enhances your rooms and brings light exactly where you need it.

All luminaires are equipped with efficient LED technology and emit a pleasant warm white light with 3000 Kelvin.

Choose luminaires that meet your needs: Do you want targeted light direction? Then the Ronde spot is just the thing for you! Or do you prefer wider illumination? Then the Bol or Cone luminaires are the perfect choice. Maybe you're looking for something long and elegant? You'll love the Light Bar!

And if you prefer a luminaire that illuminates in every direction, then the Ball luminaire is your ideal choice.



ULine Light Bar

2035 lm, 18,5 W
3000 K, 30.000 h
⌀26 ⇄650 ↗29 mm
94613

🔧 Black
📦 Plastic, aluminium

ULine Bol

1245 lm, 12 W
3000 K, 30.000 h
⌀160 ø300 mm
94614

🔧 Black
📦 Plastic, aluminium



ULine Cone

1245 lm, 12 W
3000 K, 30.000 h
⌀90 ø350 mm
94615

🔧 Black
📦 Plastic, aluminium

ULine Ball

840 lm, 8 W
3000 K, 30.000 h
⌀152 ø150 mm
94616

🔧 White
📦 Plastic, aluminium

ULine Ronde

745 lm, 7 W
3000 K, 30.000 h
⌀110 ø85 mm
94617

🔧 Black
📦 Plastic, aluminium



🛒 **Get the Look:** Left: 1x Installation Set 60 W 94628, 4x Ball 94616, 1x Universal Fixture 94624
Right: 1x Starter Set Bol 94633, 2x Universal Fixture 94624



🛒 **Get the Look:** Left: 1x Installation Set 60 W 94628, 1x Belt black 94618, 1x Straight Fixture 94622, 2x Cone 94615
Right: 1x Installation Set 60 W 94628, 1x Belt black 94618, 1x Straight Fixture 94622, 6x Ball 94616

ULine accessories

For creative lighting installations in any size space



LED Power Supply 60W

max. 60 W
230/48V DC
⇅ 29 mm ⇄ 187 mm ↗ 43 mm
94646

🌀 White
📏 Plastic



LED Power Supply 150W

max. 150 W
230/48V DC
⇅ 31 mm ⇄ 187 mm ↗ 57 mm
94645

🌀 White
📏 Plastic

Pendant adapter for power infeed into the belt – can bridge a distance of up to 2 m from transformer housing to belt



ULine Cable Feed 2 m

max. 150 W ⇅ 20 ⇄ 47 ↗ 26 mm
94625

🌀 Black
📏 Plastic, aluminium

Dims the lighting system in three stages – simply using a wall switch.



3 Step Dim Controller

max. 200 W
48 V DC
⇅ 21,5 mm ⇄ 80 mm ↗ 35 mm
94644

🌀 White
📏 Plastic



Holders for installations on and above walls, ceilings and floors



ULine Universal Fixture

⇅ 35 ø60 mm
94624
🌀 Black
📏 Plastic, aluminium



2x ULine Straight Fixture

⇅ 30 ⇄ 12 ↗ 72 mm
94622
🌀 Black
📏 Aluminium



ULine Ceiling Cover

⇅ 27 ø85 mm
94627
🌀 Black
📏 Plastic, aluminium



Clamp for loop installations and as strain relief



Pendant holder that can be shortened – ideal for installation in particularly high rooms



2x ULine Clamp

⇅ 16 ⇄ 45 ↗ 15 mm
94623
🌀 Black
📏 Aluminium



ULine Suspension 2 m

⇅ 21 ⇄ 45 ↗ 15 mm
94626
🌀 Black
📏 Plastic, aluminium

25V09 GB 505400075

[illegible]