



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29107, 29108 (Länge: 301 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	TRIDONIC.ATCO	PC 1x5-16W BASIC sl	24138833	Yes, compatible
2	OSRAM	QT-ECO 1x4-16/220-240S	A48978F0355 01 02201	Yes, compatible
3	OSRAM	QT-ECO 1x4-16/220-240L	A48977B00DG P1430	Yes, compatible
4	OSRAM	QTP-D/E 1X10-13	A57059100DG	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29109, 29110 (Länge: 563 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP5 1x14-35	AA3341801DG P1605	Yes, compatible
2	OSRAM	QT-FIT5 1x14-35	AA747150355 01 01719 C	Yes, compatible
3	OSRAM	QT-FIT5 2x14-35	AA7471601DG BE 01609 C	Yes, compatible
4	PHILIPS	HF-S 1 14-35 TL5 HE II	9137 130 420	Yes, compatible
5	PHILIPS	HF-P 1 14-35-TL5 HE III IDC	9137 130 310	Yes, compatible
6	TRIDONIC.ATCO	PC 2/14-21-28-35 T5 PRO Ip	22 087 731	Yes, compatible
7	TRIDONIC	PC 2x14-28 T5 TOP Ip	22 185 158	Yes, compatible
8	Helvar	EL2x14-35S	T5 14,21,28,35W	Yes, compatible
9	Helvar	EL1x14-35ngn5	4017001G01712215 1	Yes, compatible
10	VS	Type ELXc 235.857	188094	Yes, compatible
11	OSRAM	QTP5 2x14-35	AA3342301DG P1439C	compatible but lower luminous flux than claimed value




## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29109, 29110 (Länge: 563 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
12	OSRAM	QT-FIT5 1x14-35	AA747150355	Yes, compatible
13	OSRAM	QTP5 1x14-35	A63944500DG	Yes, compatible
14	Philips	HF-S 114-21 TL5 II	9137130328	Yes, compatible
15	Philips	HF-P 1 14-35 TL5 HE III IDC	9137130310	Yes, compatible
16	Tridonic	PC 1/14-35/24/39 T5 PRO-M lp	22176182	Yes, compatible
17	Helvar	EL 1x14-35ngn5	4017001G09802761	Yes, compatible
18	b,a,g	BCS35.1FX-11/220-240	10077579	Yes, compatible
19	b,a,g	BCD35.1F-01/220-240/1-10V	10097244	Yes, compatible
20	VOSSLOH	Type ELXc 135.220	188921	Yes, compatible
21	Tridonic	PC 1/14-35/49/54 T5 PRO-M lp	22176183	Yes, compatible
22	Helvar	EL 1x14-35s	4306002D46100284	Yes, compatible
23	OSRAM	QT-FIT5 2x14-35	AA747160355	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29109, 29110 (Länge: 563 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
24	OSRAM	QTP5 2x14-35	AA3342302DG	Yes, compatible
25	b,a,g	BCD35.2F-01/220-240/1-10V	10097294	Yes, compatible
26	b,a,g	BCS35.2FX-11/220-240	10077580	Yes, compatible
27	Philips	HF-R 214-35 TL5 EII	9137006195	Yes, compatible
28	Tridonic	PC 2x14-28 T5 TOP lp	22185158	Yes, compatible
29	Philips	HF-P 2 14-35 TL5 HE III IDC	9137130311	Yes, compatible
30	Philips	HF-S 2 14-35 TL5 HE II	9137130421	Yes, compatible
31	Helvar	EL2x14-35ngn5	4018001E08705002	Yes, compatible
32	Helvar	EL2x14-35iDim	4350000J05200189	Yes, compatible
33	OSRAM	QT-FIT5 3x14,4x14	AA747140355	Yes, compatible
34	OSRAM	QTP5 3x14,4x14	A62933A02DG	Yes, compatible
35	Philips	HF-S 3/414 TL5 II	9137130330	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29109, 29110 (Länge: 563 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
36	Helvar	EL 3/4x14ngn5	4014001E17701532	Yes, compatible
37	b,a,g	BCS14.3-4FR-01/220-240	10052868	Yes, compatible
38	Tridonic	PC 3/4x14 T5 TOP lp	22185220	Yes, compatible
39	Tridonic	PC 3/4x14 T5 PRO lp	22185211	Yes, compatible
40	OSRAM	QT-FIT5 3x14,4x14	AA747140355	Yes, compatible
41	OSRAM	QTP5 3x14,4x14	A62933A02DG	Yes, compatible
42	b,a,g	BCS14.3-4FR-01/220-240	10052868	Yes, compatible
43	Helvar	EL 3/4x14ngn5	4014001E17701532	Yes, compatible
44	Tridonic	PC 3/4x14 T5 PRO lp	22185211	Yes, compatible
45	Tridonic	PC 3/4x14 T5 TOP lp	22185220	Yes, compatible
46	Philips	HF-S 3/414 TL5 II	9137130330	Yes, compatible




## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP5 1x24-39	A63945100DG	Yes, compatible
2	OSRAM	QTP-OPTIMAL 2x54-58	AA569750755 02 01838	Yes, compatible
3	OSRAM	QTP-OPTIMAL1x54-58	AA517330755 01 01724	Yes, compatible
4	OSRAM	QT-FIT 5/8 2x54-58	AA529620555 01 01746	Yes, compatible
5	OSRAM	QT-FIT 5/8 1x54-58	AA7471901DG P1653 C	Yes, compatible
6	OSRAM	QT-FIT 5/8 1x18-39	AA7471805501 01745 C 0	Yes, compatible
7	OSRAM	QT-FIT 5/8 2x18-39	AA440140555 01 01802	Yes, compatible
8	PHILIPS	HF-S 254 TL5 II	9137 130 337	Yes, compatible
9	PHILIPS	HF-P 254/255 TL5 HO/PL-L III IDC	9137 130 283	Yes, compatible
10	PHILIPS	HF-R 154 TL5 EII	9137 006 088	Yes, compatible
11	3AAA	HYQ1x55-58/220-240		Yes, compatible
12	TRIDONIC	PC 1/54 T5 INDUSTRY	89800458	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
13	TRIDONIC	PC 1x54 T5 PRO Ip	22185155	Yes, compatible
14	TRIDONIC	PC 2x54 T5 PRO Ip	22185156	Yes, compatible
15	Helvar	EL2x54ngn5	413001H28601136 1	Yes, compatible
16	TCI	BTLT 254	137999/54	Yes, compatible
17	B,A,G	BCS54.1FX-11/220-240	1007 7585	Yes, compatible
18	VS	Type ELXc 254.236	183118	Yes, compatible
19	VS	Type ELXc 254.236	183118	Yes, compatible
20	OSRAM	QT-FIT5 2x14-35	AA7471601DG BE 01609 C	compatible but lower luminous flux than claimed value
21	OSRAM	QT-FIT5 1x14-35	AA747150355 01 01719 C	compatible but lower luminous flux than claimed value
22	OSRAM	QTP5 2x14-35	AA3342301DG P1439C	compatible but lower luminous flux than claimed value
23	OSRAM	QTP5 1x14-35	AA3341801DG P1605	compatible but lower luminous flux than claimed value
24	PHILIPS	EB-Ci 1-2 14-28W	9137 130 432	compatible but lower luminous flux than claimed value



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
25	PHILIPS	EB-Ci 1-2 14-28W	9137 130 432	compatible but lower luminous flux than claimed value
26	PHILIPS	HF-S 221-28TL5 II	9137 130 331	compatible but lower luminous flux than claimed value
27	PHILIPS	HF-S 128-35 TL5 II	9137 130 332	compatible but lower luminous flux than claimed value
28	PHILIPS	HF-S 1 14-35 TL5 HE II	9137 130 420	compatible but lower luminous flux than claimed value
29	PHILIPS	HF-P 1 14-35-TL5 HE III IDC	9137 130 310	compatible but lower luminous flux than claimed value
30	3AAA	YZ-228EAA T5-E	T5-E 28W x 2	compatible but lower luminous flux than claimed value
31	3AAA	YZ-221EAA T5-E	T5-E 21W x 2	compatible but lower luminous flux than claimed value
32	TRIDONIC.ATCO	PC 2/14-21-28-35 T5 PRO Ip	22 087 731	compatible but lower luminous flux than claimed value
33	TRIDONIC	PC 2x14-28 T5 TOP Ip	22 185 158	compatible but lower luminous flux than claimed value
34	Helvar	EL2x14-35S	T5 14,21,28,35W	compatible but lower luminous flux than claimed value
35	Helvar	EL1x14-35ngn5	4017001G01712215 1	compatible but lower luminous flux than claimed value
36	REDLINE	RL-T5-128		compatible but lower luminous flux than claimed value





## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
37	VS	Type ELXc 235.857	188094	compatible but lower luminous flux than claimed value
38	OSRAM	QT-FIT5 1x14-35	AA747150355	Yes, compatible
39	OSRAM	QTP5 1x14-35	A63944500DG	Yes, compatible
40	Helvar	EL 1x14-35ngn5	4017001G09802761	Yes, compatible
41	b,a,g	BCS35.1FX-11/220-240	10077579	Yes, compatible
42	b,a,g	BCD35.1F-01/220-240/1-10V	10097244	Yes, compatible
43	Tridonic	PC 1x14-35 T5 TOP lp	22185157	Yes, compatible
44	Tridonic	PC 1x14-35 T5 PRO lp	22185147	Yes, compatible
45	Tridonic	PC 1/14-35/24/39 T5 PRO-M lp	22176182	Yes, compatible
46	Philips	HF-S 128-35 TL5 II	9137130332	Yes, compatible
47	Philips	HF-R 114-35 TL5 EII	9137006198	Yes, compatible
48	Philips	HF-Pi 1 28/35/49/80 TL5 EII 220-240	9137006525	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
49	Philips	HF-Pi 1 28/35/49/54 TL5 EII 220-240	9137006241	Yes, compatible
50	Philips	HF-P 1 14-35 TL5 HE III IDC	9137130310	Yes, compatible
51	Tridonic	PC 1/14-35/49/80 T5 PRO-M lp	22176184	Yes, compatible
52	OSRAM	QT-FIT5 2x14-35	AA747160355	Yes, compatible
53	OSRAM	QTP5 2x14-35	AA3342302DG	Yes, compatible
54	Helvar	EL2x14-35ngn5	4018001E08705002	Yes, compatible
55	b,a,g	BCS35.2FX-11/220-240	10077580	Yes, compatible
56	b,a,g	BCD35.2F-01/220-240/1-10V	10097294	Yes, compatible
57	Philips	HF-R 214-35 TL5 EII	9137006195	Yes, compatible
58	Helvar	EL 1x14-35s	4306001D420035739	Yes, compatible




## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29113, 29114 (Länge: 1463 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP-OPTIMAL 1x54-58	AA5173305DG	Yes, compatible
2	OSRAM	QT-FQ 2x80	A57569D01DG P1721	Yes, compatible
3	Helvar	EL2x80S-u	T5/TC-L:2x80	Yes, compatible
4	Helvar	EL2x80ngn5	T5/TC-L:2x80	Yes, compatible
5	OSRAM	QTP5 1x49	A63946E0355 02 01823	compatible but lower luminous flux than claimed value
6	TRIDONIC	PC 1/49 T5 INDUSTRY	86458039	compatible but lower luminous flux than claimed value
7	TRIDONIC.ATCO	PC 2/49 T5 PRO Ip	22 176 099	compatible but lower luminous flux than claimed value
8	B.A.G	BCS49.2FX-11/220-240	1007 7584	compatible but lower luminous flux than claimed value
9	OSRAM	QT-FIT5 1x14-35	AA747150355	Yes, compatible
10	OSRAM	QTP5 1x14-35	A63944500DG	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29113, 29114 (Länge: 1463 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
11	Tridonic	PC 1x14-35 T5 PRO ip	22185147	Yes, compatible
12	Tridonic	PC 1x14-35 T5 TOP ip	22185157	Yes, compatible
13	Helvar	EL1x14-35ngn5	4017001G09802761	Yes, compatible
14	VOSSLÖH	Type ELXc 135.220	188921	Yes, compatible
15	b,a,g	BCS35.1FX-11/220-240	10077579	Yes, compatible
16	Philips	HF-P i 14-35 TL5 HE III IDC	9137130310	Yes, compatible
17	Philips	HF-S 128-35 TL5 II	9137130332	Yes, compatible
18	Tridonic	PC 1/14-35/24/39 T5 PRO-M ip	22176182	Yes, compatible
19	b,a,g	BCD35.1F-01/220-240/1-10V	10097244	Yes, compatible
20	OSRAM	QTi 1x28/54/35/49 GII	AA3629601DG	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29113, 29114 (Länge: 1463 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
21	OSRAM	QTi 1x35/49/80 GII	AA3529700DG	Yes, compatible
22	Philips	HF-Pi 1 28/35/49/54 TL5 EII 220-240	9137006241	Yes, compatible
23	Philips	HF-Pi 1 28/35/49/80 TL5 EII 220-240	9137006525	Yes, compatible
24	OSRAM	QTP5 2x14-35	AA3342302DG	Yes, compatible
25	OSRAM	QT-FIT5 2x14-35	AA747160355	Yes, compatible
26	Philips	HF-S 235 TL5 II	9137130333	Yes, compatible
27	Philips	HF-P 2 14-35 TL5 HE III IDC	9137130311	Yes, compatible
28	Philips	HF-P 2 14-35 TL5 HE 220-240	9137001662	Yes, compatible
29	Philips	HF-R 214-35 TL5 EII	9137006195	Yes, compatible
30	b,a,g	BCS35.2FX-11/220-240	10077580	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29113, 29114 (Länge: 1463 mm)

Paulmann

NO	Brand	Model	EAN / Ref. No.	Compatibility
31	b,a,g	BCD35.2F-01/220-240/1-10V	10097294	Yes, compatible
32	Helvar	EL2x14-35ngn5	4018001E08705002	Yes, compatible
33	Tridonic	PC 2x35 T5 TOP lp	87500292	Yes, compatible
34	Tridonic	PCA 2x35/49 T5 ECO Ip	22185097	Yes, compatible
35	Tridonic	PC 2x14-35 T5 PRO lp	22185148	Yes, compatible
36	Helvar	EL2x14-35iDim	4350000J05200189	Yes, compatible
37	Tridonic	PC 2/14-35/49/54 T5 PRO-M lp	22176186	Yes, compatible
38	Philips	HF-Pi 2 28/35/49/54 TL5 EII 220-240	9137006243	Yes, compatible
39	OSRAM	QTi 2x28/54/35/49 GII	AA3529901DG	Yes, compatible
40	Philips	HF-S 2 14-35 TL5 HE II	9137130421	Yes, compatible