



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29107, 29108 (Länge: 301 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	TRIDONIC.ATCO	PC 1x5-16W BASIC sl	24138833	Yes, compatible
2	OSRAM	QT-ECO 1x4-16/220-240S	A48978F0355 01 02201	Yes, compatible
3	OSRAM	QT-ECO 1x4-16/220-240L	A48977B00DG P1430	Yes, compatible
4	OSRAM	QTP-D/E 1X10-13	A57059100DG	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29109, 29110 (Länge: 563 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP5 1x14-35	AA3341801DG P1605	Yes, compatible
2	OSRAM	QT-FIT5 1x14-35	AA747150355 01 01719 C	Yes, compatible
3	OSRAM	QT-FIT5 2x14-35	AA7471601DG BE 01609 C	Yes, compatible
4	PHILIPS	HF-S 1 14-35 TL5 HE II	9137 130 420	Yes, compatible
5	PHILIPS	HF-P 1 14-35-TL5 HE III IDC	9137 130 310	Yes, compatible
6	TRIDONIC.ATCO	PC 2/14-21-28-35 T5 PRO Ip	22 087 731	Yes, compatible
7	TRIDONIC	PC 2x14-28 T5 TOP Ip	22 185 158	Yes, compatible
8	Helvar	EL2x14-35S	T5 14,21,28,35W	Yes, compatible
9	Helvar	EL1x14-35ngn5	4017001G01712215 1	Yes, compatible
10	VS	Type ELXc 235.857	188094	Yes, compatible
11	OSRAM	QTP5 2x14-35	AA3342301DG P1439C	compatible but lower luminous flux than claimed value



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP5 1x24-39	A63945100DG	Yes, compatible
2	OSRAM	QTP-OPTIMAL 2x54-58	AA569750755 02 01838	Yes, compatible
3	OSRAM	QTP-OPTIMAL1x54-58	AA517330755 01 01724	Yes, compatible
4	OSRAM	QT-FIT 5/8 2x54-58	AA529620555 01 01746	Yes, compatible
5	OSRAM	QT-FIT 5/8 1x54-58	AA7471901DG P1653 C	Yes, compatible
6	OSRAM	QT-FIT 5/8 1x18-39	AA7471805501 01745 C 0	Yes, compatible
7	PHILIPS	HF-S 254 TL5 II	9137 130 337	Yes, compatible
8	PHILIPS	HF-P 254/255 TL5 HO/PL-L III IDC	9137 130 283	Yes, compatible
9	PHILIPS	HF-R 154 TL5 EII	9137 006 088	Yes, compatible
10	3AAA	HYQ1x55-58/220-240		Yes, compatible
11	TRIDONIC	PC 1/49 T5 INDUSTRY	86458039	Yes, compatible
12	TRIDONIC	PC 1/54 T5 INDUSTRY	89800458	Yes, compatible



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
13	TRIDONIC	PC 2x54 T5 PRO Ip	22185156	Yes, compatible
14	Helvar	EL2x54ngn5	413001H28601136 1	Yes, compatible
15	TCI	BTLT 254	137999/54	Yes, compatible
16	B,A,G	BCS54.1FX-11/220-240	1007 7585	Yes, compatible
17	VS	Type ELXc 254.236	183118	Yes, compatible
18	VS	Type ELXc 254.236	183118	Yes, compatible
19	OSRAM	QT-FIT5 2x14-35	AA7471601DG BE 01609 C	compatible but lower luminous flux than claimed value
20	OSRAM	QT-FIT5 1x14-35	AA747150355 01 01719 C	compatible but lower luminous flux than claimed value
21	OSRAM	QTP5 2x14-35	AA3342301DG P1439C	compatible but lower luminous flux than claimed value
22	OSRAM	QTP5 1x14-35	AA3341801DG P1605	compatible but lower luminous flux than claimed value
23	PHILIPS	EB-Ci 1-2 14-28W	9137 130 432	compatible but lower luminous flux than claimed value
24	PHILIPS	EB-Ci 1-2 14-28W	9137 130 432	compatible but lower luminous flux than claimed value



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29111, 29112 (Länge: 1163 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
25	PHILIPS	HF-S 221-28TL5 II	9137 130 331	compatible but lower luminous flux than claimed value
26	PHILIPS	HF-S 128-35 TL5 II	9137 130 332	compatible but lower luminous flux than claimed value
27	PHILIPS	HF-S 1 14-35 TL5 HE II	9137 130 420	compatible but lower luminous flux than claimed value
28	PHILIPS	HF-P 1 14-35-TL5 HE III IDC	9137 130 310	compatible but lower luminous flux than claimed value
29	3AAA	YZ-228EAA T5-E	T5-E 28W x 2	compatible but lower luminous flux than claimed value
30	3AAA	YZ-221EAA T5-E	T5-E 21W x 2	compatible but lower luminous flux than claimed value
31	TRIDONIC.ATCO	PC 2/14-21-28-35 T5 PRO Ip	22 087 731	compatible but lower luminous flux than claimed value
32	TRIDONIC	PC 2x14-28 T5 TOP Ip	22 185 158	compatible but lower luminous flux than claimed value
33	Helvar	EL2x14-35S	T5 14,21,28,35W	compatible but lower luminous flux than claimed value
34	Helvar	EL1x14-35ngn5	4017001G01712215 1	compatible but lower luminous flux than claimed value
35	REDLINE	RL-T5-128		compatible but lower luminous flux than claimed value
36	VS	Type ELXc 235.857	188094	compatible but lower luminous flux than claimed value



## LED-Röhren T5 für elektronische Vorschaltgeräte (HF)

29113, 29114 (Länge: 1463 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP-OPTIMAL 1x54-58	AA5173305DG	Yes, compatible
2	Helvar	EL2x80S-u	T5/TC-L:2x80	Yes, compatible
3	Helvar	EL2x80ngn5	T5/TC-L:2x80	Yes, compatible
4	TRIDONIC	PC 1/54 T5 INDUSTRY	89800458	Yes, compatible
5	OSRAM	QTP5 1x49	A63946E0355 02 01823	compatible but lower luminous flux than claimed value
6	TRIDONIC	PC 1/49 T5 INDUSTRY	86458039	compatible but lower luminous flux than claimed value
7	TRIDONIC.ATCO	PC 2/49 T5 PRO Ip	22 176 099	compatible but lower luminous flux than claimed value



## LED-Röhren T8 für elektronische Vorschaltgeräte (HF)

29172, 29173, 29174 (Länge: 600 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP8 1x18	A63160400DG P1201	Yes, compatible
2	OSRAM	QT-FIT 1x18	A63169200DG P1143	Yes, compatible
3	OSRAM	QT-FIT 2x18	A63172700DG P1129	Yes, compatible
4	Helvar	EL1x18	4334801F216000405 1	Yes, compatible
5	PHILIPS	HF-S 118/136 TL-D II	9137 130 321	Yes, compatible
6	TRIDONIC	PC 1x18 T8 PRO IP Austria	22185213	Yes, compatible
7	PHILIPS	HF-P 218/236 TLD II	9137 130 316	Yes, compatible
8	TRIDONIC	PC 2x18 T8 PRO IP Austria	22185216	compatible but lower luminous flux than claimed value
9	PHILIPS	HF-S 218 TLD II	9137 130 323	compatible but lower luminous flux than claimed value



## LED-Röhren T8 für elektronische Vorschaltgeräte (HF)

29175, 29176, 29177 (Länge: 1200 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QT-FIT8 1x36	A63170F01DG P1132	Yes, compatible
2	OSRAM	QTP-OPTIMAL 1x18-40	AA5095703DG P1520	Yes, compatible
3	OSRAM	QT-FIT 5/8 1x18-39	AA747180355 02 01819	Yes, compatible
4	OSRAM	QT-FIT 5/8 2x18-39	AA4401400DG 01 P1334	Yes, compatible
5	OSRAM	QT-FIT8 2x36	AA3750400DG P1348	Yes, compatible
6	OSRAM	QTP 2x36/230-240	A 325 941 01 DG P492	Yes, compatible
7	PHILIPS	HF-P 136 TLD III IDC	9137 130 315	Yes, compatible
8	PHILIPS	HF-P 218/236 TL-D III	9137 130 316	Yes, compatible
9	PHILIPS	HF-S 118/136 TL-D II	9137 130 321	Yes, compatible
10	PHILIPS	HF-S 136 TL-D II	9137 130 321	Yes, compatible
11	PHILIPS	HF-P 136 TLD EII 220-240	9137 001 911	Yes, compatible
12	PHILIPS	HF-P236 TLD EII 220-240	9137 001 915	Yes, compatible





## LED-Röhren T8 für elektronische Vorschaltgeräte (HF)

29175, 29176, 29177 (Länge: 1200 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
13	PHILIPS	HF-P 236 TL-D III IDC	9137 130 316	Yes, compatible
14	TRIDONIC	PC 1x36 T8 TOP sI	22 185 223 1613 1332318 5046	Yes, compatible
15	TRIDONIC		22 185 226 1409 1295187 3764	Yes, compatible
16	3AAA	HYQ 1x36/220-240	T8/TC-L 36Wx1	Yes, compatible
17	Helvar	EL2x36/40S	6410040203806	Yes, compatible
18	TRIDONIC	PC 1x36 T8 PRO IP	22185214 1836 1373362 5686	Yes, compatible
19	TRIDONIC	PC 1x36 T8 PRO IP	22 185 214 1530 132146	Yes, compatible
20	VS	Type ELXc 236.202	188316	Yes, compatible
21	VS	Type ELXc 136.522	188022	Yes, compatible
22	TRIDONIC.ATCO	PC 2/36 T8 PRO X Tec	22 176 218 1046 1192354 1478	Yes, compatible
23	PHILIPS	HF-R 136 TLD EII	9137 006 092	Yes, compatible
24	PHILIPS	HF-S 236 TL-D II	9137 130 324	compatible but lower luminous flux than claimed value



## LED-Röhren T8 für elektronische Vorschaltgeräte (HF)

29178, 29179, 29180 (Länge: 1500 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
1	OSRAM	QTP-OPTIMAL 1x54-58	AA5173305DG P1601	Yes, compatible
2	OSRAM	QTP 2x58/230-240	P7849	Yes, compatible
3	OSRAM	QTP-OPTIMAL 2x54-58	AA5697503DG P1422	Yes, compatible
4	OSRAM	QT-FIT 5/8 1x54-58	AA747190355 01 01741	Yes, compatible
5	OSRAM	QT-FIT 5/8 2x54-58	AA5296200DG P1449	Yes, compatible
6	OSRAM	QT-FIT8 1x58-70	AA747070355 01 01733	Yes, compatible
7	OSRAM	QT-FIT8 2x58	AA7449001DG P1707	Yes, compatible
8	OSRAM	QTP8 2x58	A63167A00DG P1416	Yes, compatible
9	BAG	BCS54.1FX-11/220-240	1007 7585	Yes, compatible
10	BAG	BCS58.1FX-11/220-240	1007 7592	Yes, compatible
11	Helvar	EL2x70s	4323001B401538 6	Yes, compatible
12	TRIDONIC	PC 1x58 T8 PRO Ip	22185215	Yes, compatible



## LED-Röhren T8 für elektronische Vorschaltgeräte (HF)

29178, 29179, 29180 (Länge: 1500 mm)

**Paulmann**

NO	Brand	Model	EAN / Ref. No.	Compatibility
13	PHILIPS	HF-P 158 TLD III IDC	9137 130 318	Yes, compatible
14	PHILIPS	HF-P 258 TL-D III IDC	9137 130 319	Yes, compatible
15	PHILIPS	HF-P 158 TLD III IDC	9137 130 318 58/70W	Yes, compatible
16	PHILIPS	HF-P 258 TLD III IDC	9137 130 319 58/70W	Yes, compatible
17	PHILIPS	HF-B 158 TLD EII 220-240V	9137 001 927	Yes, compatible
18	PHILIPS	HF-S 158 TL-D II	9137 130 322	Yes, compatible
19	PHILIPS	HF-S 258 TL-D II	9137 130 325	compatible but lower luminous flux than claimed value
20	BAG	BCS58.2FX-11/220-240	1007 7593	compatible but lower luminous flux than claimed value
21	PHILIPS	HF-P 258 TLD III IDC	9137 130 319 58/70W	Yes, compatible
22	OSRAM	QT-FIT8 1x58-70	AA747070110-277072	Yes, compatible
23	PHILIPS	HF-R 258 TLD EII	9137 006 095	Yes, compatible
24	PHILIPS	HF-B 158/258 TLD EII 220-240V	9137 001 929	Yes, compatible